

# SAFETY DATA SHEET

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

## 1.1 Product identifier

### Product name BRONZE POWDER

Synonyms

BRONZE POWDER • BRONZE POWDER NON-OXIDISING • PALE GOLD • RICH GOLD • RICHARD PALE GOLD

#### 1.2 Uses and uses advised against

Uses

CHEMICAL APPLICATIONS • METALLURGY APPLICATIONS • PRINTING AND COATING INDUSTRY • SURFACE COATING

## 1.3 Details of the supplier of the product

## Supplier name AUSTRALIAN METAL POWDERS SUPPLIES PTY LTD

Address32 Carrington Road, Guildford, NSW, 2161, AUSTRALIATelephone(02) 9681 6155Emailsales@metalpowders.com.auWebsitehttp://www.metalpowders.com.au

## 1.4 Emergency telephone numbers

Emergency

13 11 26 (Poisons Information Centre)

# 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

## **Physical Hazards**

Not classified as a Physical Hazard

Health Hazards Not classified as a Health Hazard

Environmental Hazards Aquatic Toxicity (Acute): Category 1

# 2.2 GHS Label elements

Signal word

Pictograms



Hazard statements H400

Very toxic to aquatic life.

Collect spillage.

Prevention statements P273

Avoid release to the environment.

**Response statements** P391

Storage statements None allocated.

#### **Disposal statements**

P501

Dispose of contents/container in accordance with relevant regulations.

# 2.3 Other hazards

No information provided.

# 3. COMPOSITION/ INFORMATION ON INGREDIENTS

### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
COPPER	7440-50-8	231-159-6	>60%
TIN	7440-31-5	231-141-8	<30%

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.
First aid facilities	Eye wash facilities and safety shower are recommended.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

## 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

## 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

## 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases (copper oxides) when heated to decomposition.

## 5.3 Advice for firefighters

Evacuate area and contact emergency services. May cause fire or explosion in contact with incompatible materials (see Reactivity). Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Bund and contain all residues to avoid environmental contamination.

## 5.4 Hazchem code

2Z

2 Fine Water Spray.

Z Wear full fire kit and breathing apparatus. Contain spill and run-off.

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

## 6.2 Environmental precautions

Prevent product from entering drains and waterways.

## 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for disposal. Avoid generating dust.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

#### 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

## Exposure standards

Ingredient	Reference	TWA		STEL	
	Kelerence	ppm	mg/m³	ppm	mg/m³
Copper (fume)	SWA [AUS]		0.2		
Copper (fume, dusts & mists)	SWA [Proposed]		0.01		
Copper, dusts & mists (as Cu)	SWA [AUS]		1		
Tin, metal	SWA [AUS]		2		

## **Biological limits**

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain dust levels below the recommended exposure standard.

#### PPE

Eye / Face	Wear dust-proof goggles.
Hands	Wear PVC or rubber gloves.
Body	Not required under normal conditions of use.
Respiratory	At high dust levels, wear a Class P1 (Particulate) respirator.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	YELLOW TO GOLD TO BROWN COLOURED METALLIC POWDER
Odour	SLIGHT ODOUR
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	NOT AVAILABLE
Melting point	> 750°C
Evaporation rate	NOT AVAILABLE
рН	NOT AVAILABLE
Vapour density	NOT AVAILABLE
Specific gravity	2.8 to 3.8
Solubility (water)	INSOLUBLE

#### 9.1 Information on basic physical and chemical properties

Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

# **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization will not occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid). Reacts violently with chlorine, fluorine, ethylene oxide, acetylene and hydrogen sulphide.

#### 10.6 Hazardous decomposition products

May evolve toxic gases (copper oxides) when heated to decomposition.

# **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

#### Information available for the ingredients:

Ingredient		Oral LD50	Dermal LD50	Inhalation LC50
COPPER			> 2000 mg/kg (rat)	
Skin	Contact may result in mecha	nical irritation, redness, ras	h and dermatitis.	
Еуе	Contact may result in mecha	Contact may result in mechanical irritation, lacrimation and redness.		
Sensitisation	Not classified as causing skin or respiratory sensitisation. Allergic contact dermatitis has been reported although rare.		natitis has been reported,	
Mutagenicity	Not classified as a mutagen.			
Carcinogenicity	Not classified as a carcinogen.			
Reproductive	Not classified as a reproductive toxin.			
STOT - single exposure	Over exposure to dust may result in mechanical irritation of the nose and throat, with coughing. Ove exposure to fumes (if heated) may result in irritation of the nose and throat with ulceration of the nasa septum, and could also cause metal fume fever.			
STOT - repeated exposure	Repeated exposure to copper may result in liver, kidney and blood damage.			
Aspiration	Not classified as causing as	piration.		

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Very toxic to aquatic life.



### 12.2 Persistence and degradability

No information provided.

#### 12.3 Bioaccumulative potential

No information provided.

### 12.4 Mobility in soil

No information provided.

### 12.5 Other adverse effects

Soluble copper compounds are highly toxic to aquatic and plant life. Insoluble copper compounds are significantly less environmentally hazardous. Positive potential for food chain accumulation.

# **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

**Waste disposal** For small amounts, cover with moist sand, vermiculite or similar to avoid dust hazard and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional information if disposing of large quantities (if required).

Legislation Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

# CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	3077	3077	3077
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper metal powder)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper metal powder)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper metal powder)
14.3 Transport hazard class	9	9	9
14.4 Packing Group	III	III	III

#### 14.5 Environmental hazards

Marine Pollutant

#### 14.6 Special precautions for user

Hazchem code	2Z
GTEPG	9C1
EmS	F-A, S-F
Other information	<ul> <li>Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;</li> <li>(a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or</li> <li>(b) IBCs.</li> <li>Special Provision AU01 - ADG Code 7th Ed.</li> <li>Label: Miscellaneous The environmentally hazardous substance mark is not required when transported in packages of less than 5 kg/L (UN Model Regulations: Special Provision 375; IATA: Special Provision A197; IMDG: Special Provision 969) or less than 500 kg/L by Australian Road and Rail.</li> </ul>

# 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Poison schedule** A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Classifications** Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

Inventory listings AUSTRALIA: AICS (Australian Inventory of Chemical Substances) All components are listed on AICS, or are exempt.

# **16. OTHER INFORMATION**

Additional information	EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation). PERSONAL PROTECTIVE EQUIPMENT GUIDELINES: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.			
	HEALTH EFFECTS FROM EXPOSURE: It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.			
Abbreviations	ACGIH CAS # CNS EC No. EMS GHS GTEPG IARC LC50 LD50 mg/m <sup>3</sup> OEL pH ppm STEL STOT-RE STOT-RE STOT-SE SUSMP SWA	American Conference of Governmental Industrial Hygienists Chemical Abstract Service number - used to uniquely identify chemical compounds Central Nervous System EC No - European Community Number Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods) Globally Harmonized System Group Text Emergency Procedure Guide International Agency for Research on Cancer Lethal Concentration, 50% / Median Lethal Concentration Lethal Dose, 50% / Median Lethal Dose Milligrams per Cubic Metre Occupational Exposure Limit relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). Parts Per Million Short-Term Exposure Limit Specific target organ toxicity (repeated exposure) Specific target organ toxicity (single exposure) Standard for the Uniform Scheduling of Medicines and Poisons Safe Work Australia		
	TLV	Threshold Limit Value		

TWA Time Weighted Average

**Report status** 

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

# [End of SDS]